How Can We Better Are Capturing Flash Droughts in the U.S. Drought Monitor Better?

MARK SVOBODA, PH.D., DIRECTOR

NATIONAL DROUGHT MITIGATION CENTER

UNIVERSITY OF NEBRASKA-LINCOLN



North American Drought Monitor Forum, Calgary, AB, Canada May 1-3, 2018

What is "Flash" Drought?

Like drought, there is *no universal* definition for flash drought...but it is not necessarily a "new" term...

- 2001 AP/USA Today/NPR quotes mainstreamed the term
- First known reference (Svoboda et al. BAMS 2002)
- Contemporary references (Mo/Lettenmaier 2015 + 2016; Otkin et al. 2017)

Rapidly developing intraseasonal drought events that are termed as "flash droughts" are often accompanied by extreme heat, low soil moisture, high winds, large VPD and high evapotranspiration (ET)


- It's about rapid "ONSET/INTENSIFICATION"! May go on to linger weeks, months or years....
- Typically develop as "growing season" droughts, not COLD/SNOW droughts
- Timing, timing, timing...

Flash Drought – Another Drought Type?

- The term's usage increased greatly in 2011 and 2012 in response to two drought events that developed very rapidly across the central and southern U.S.
- Despite its widespread use, a formal definition currently does not exist
- Two approaches have been used to identify "flash droughts"
 - Unusually rapid rate of intensification
 - Implicit focus on short duration
- Conflicting approaches introduce ambiguity that affects our ability to monitor and forecast these events

U.S. Drought Monitor

USDA Southern Plains



July 4, 2000

(Released Thursday, Jul. 6, 2000) Valid 8 a.m. EDT

Drought Conditions (Percent Area)

None	D0-D4	D1-D4	02-04	03-04	04
56.62	43.38	13,07	1.82	0.38	11 00
52.39	47.61	29.16	9.73	0.00	0.00
39.13	60.87	44,79	32.89	0.00	0 00
23.79	75.21	48,39	32.75	0.00	0.00
3	51	G.	8	Œ/	S
-	G[3.	ु	33	3
	56.62 52.39 39.13 23.79	56.52 43.38 52.39 47.61 39.13 60.07 23.79 76.21	56.52 43.38 13.07 52.39 47.61 25.16 39.13 60.07 44.79 23.79 76.21 48.39	56.52 43.38 13.07 1.82 52.39 47.61 25.16 9.73 39.13 60.67 44.79 32.89 23.79 76.21 48.39 32.75	56.62 43.38 13.07 1.82 0.38 62.39 47.61 28.16 9.73 0.00 39.13 60.67 44.79 32.89 0.00 23.79 76.21 48.39 32.75 0.00




Loca for fo

Aut

Stat

U.S. Drought Monitor **USDA Southern Plains** Climate Hub



October 3, 2000

(Released Thursday, Oct. 5, 2000) Valid 8 a.m. EDT

Drought Conditions (Percent Area)

	None	DO-D4	01-04	82-04	B9-64	D4
will	0.00	100.00	99:00	83.24		0.00
Last Week 09-25-2000	0.00	100.00	94.38	70.11	10.21	0.00
3 Month's Ago 01-04-2000	56.62	43.38	13,07	1.82	0.38	0.00
Strate Calendar Year				w 12	11 00	0.00
Start of Water Year 69-28-2005	0.00	100.00	94.38	70.11	10.21	0.00
One Year Ago	្ន		47	Ş.	- 55	-

Intensity:





The Drought Monitor focuses on broad-scale conditions Local conditions may vary. See accompanying text summary for forecast statements.

Author:

National Drought Mitigation Center









http://droughtmonitor.unl.edu/











Search the Site

Advanced Search

JOURNALS ONLINE

Journals

Publish

Subscribe

About

Home > BAMS > Early Online Releases > FLASH DROUGHTS: A REVIEW AND ASSESSMENT OF THE CHALLENGE ...

< Previous Article

Next Article >

8 FLASH DROUGHTS: A REVIEW AND ASSESSMENT OF THE CHALLENGES IMPOSED BY RAPID ONSET DROUGHTS IN THE UNITED STATES

vason A. Otkin¹, Mark Svoboda², Eric D. Hunt³, Trent W. Ford⁴, Martha C. Anderson⁵, hristopher Hain⁶, and Jeffrey B. Basara^{7,8}

- Cooperative Institute for infectional Satellite Studies, University of Wisconsin-Madison
- ² National Drought Mitigation Center, University of Nebraska, Lincoln, NE
- ³ Atmospheric and Environmental Research, Inc., Lexington, MA
- ⁴ Department of Geography and Environmental Resources, Southern Illinois University-Carbondale, Carbondale, IL
- ⁵ Agricultural Research Services, Hydrology and Remote Sensing Laboratory, United States, Department of Agriculture, Beltsville, MD
- ⁶ Marshall Space Flight Center, NASA, Earth Science Branch, Huntsville, AL
- ⁷ School of Meteorology, University of Oklahoma, Norman, OK
- ⁸ Oklahoma Climatological Survey, University of Oklahoma, Norman, OK

https://doi.org/10.1175/BAMS-D-17-0149.1

Published Online: 20 November 2017




Ahead of Print





Flash Drought – Proposed General Definition


- We propose that "flash droughts" should be viewed as a subset of all droughts that are distinguished solely by their rapid rate of intensification
- This definition can be seamlessly applied to all drought types
- Our proposed definition has two basic requirements:
 - A given drought index must change much more rapidly than normal (e.g., the "flash" part of the definition)
 - Drought index must fall below the 20th percentile (e.g., "drought" according to the USDM classification scheme)
- Definition excludes short periods of anomalous conditions that do not lead to drought impacts



KEY:

- Drought to persist or intensify
- Drought ongoing, some improvement
- Drought likely to improve, impacts ease
- Drought development likely

Depicts large-scale trend by short- and long-range - such as individual stor Use caution for application "Ongoing" drought areas For weekly drought upda areas imply at least a 1-1 but do not necessarily in



May 15, 2012

(Released Thursday, May. 17, 2012) Valid 7 a.m. EST

Drought Conditions (Percent Area)

	None	D0-D4	D1-D4	02-04	D3-D4	DA
	(45)116	-	-	Section 1	Not bearing	1000
Current	45.21	54.79	33.64	18:39	5.71	1.02
Last Week 59/2012	43.88	56.12	35.88	19.65	6.77	1.61
3 Month's Ago 214,0012	42.67	57.33	37.82	17.98	9.32	3.22
Start of Calendar Year	50.41	49.59	31.00	18.83	10.18	3.32
Start of Water Year 507,00 H	56.45	43.55	29.13	23.44	17.80	11.37
One Year Ago	67.69	32.31	26.35	20.68	13.18	6.04

Intensity:

D0 Abnomally Dry D3 Extreme Drought Dit Moderate Drought D4 Exceptional Drought D2 Severe Drought

The Drought Monitor focuses on broad-scale conditions Local conditions may vary. See accompanying text summary for forecast statements.

Author(s):

Brad Rippey


U.S. Department of Agriculture












intensify

Drought ongoing, some improvement

Drought likely to improve, impacts ease

Drought development likely

Depicts large-scale trends based on si by short- and long-range statistical and - such as individual storms -- cannot t Use caution for applications - such as "Ongoing" drought areas are approxim For weekly drought updates, see the li areas imply at least a 1-category impro but do not necessarily imply drought e



June 19, 2012

(Released Thursday, Jun. 21, 2012) Valid 7 a.m. EST

Drought Conditions (Percent Area)

	None	D0-D4	D1-D4	D2-D4	D3-D4	D4
Current	31.22	68.78	45.72	24.27	5 19	0.29
Last Week	37.47	62.53	39.68	19.14	3.92	0.29
3 Month's Ago 1010012	43.91	55.09	38.31	19.19	6.88	2.21
Start of Calendar Year	50.41	49.59	31.90	18.83	10.18	3.32
Start of Water Year 827/0011	56.45	43.55	29.13	23.44	17.80	11.37
One Year Ago	67.29	32.71	27.29	22.36	18.00	11.84

Intensity. DD Abnomally Dity D3 Extreme Drought D1 Minderate Drought. D4 Exceptional Drought 02 Severe Drought

The Drought Manitor focuses on broad-scale conditions. Local conditions may vary. See accompanying text summary for forecast statements.

Author(s):


Richard Heim NCDC/NOAA







What Does Flash Drought Look Like?




• During 2012, the U.S. Drought Monitor indicated that extreme drought conditions (D2-D4) rapidly developed across the central U.S. in response to extreme heat and dry weather

Emerging Satellite-based Observations and Products


Over just the past 5+ years, a number of satellite remote sensing-based tools and *products* characterizing different parts of the hydrologic cycle that influence drought conditions allowing new composite drought indicators to be developed.

Examples


- Evaporative Stress Index (ESI)
- Quick Drought Response Index (QuickDRI)
- Evaporative Demand Drought Index (EDDI)
- GRACE soil moisture and groundwater anomalies
- Vegetation Drought Response Index (VegDRI)

















EA Focus: Evaluation of SMAP Soil Moisture Products for Operational Drought Monitoring: Potential Impact on the U.S. Drought Monitor

SMAP Early Adopter: National Drought Mitigation Center, Mark Svoboda and Brian Wardlow

Drought Mitigation Cent



Final Thoughts

- "Flash droughts," or rapid onset droughts, on the order of weeks as opposed to months or years, are still not well understood.
- Seeing a shift toward more development of remotely sensed, modeled, gridded and/or combined/composite indicators (e.g. NLDAS, MDSI, QuickDRI, ESI, EDDI, SMAP...) being integrated into the USDM (and stand alone) as well as regional drought early warning capacity via the National Integrated Drought Information System (NIDIS) and USDM expert list server community (425+)
- Strength of USDM is found in its ability to integrate and ingest new data sources as they mature and come on-line after a transparent vetting period...
 - Helping increase resolution (spatial + temporal) and accuracy of the USDM
- Increasing "flash drought" detection capacity within the USDM (e.g. 2016 in Black Hills and the Southeast, 2017 High Plains)
 - •We didn't have this capacity (w/in the USDM) for the iconic 2012 flash drought event

Thank You! Questions?

Contact: Mark Svoboda

msvoboda2@unl.edu



DROUGHT.UNL.EDU

e | ndmc@unl.edu





